



VILLAGE OF RIDGEWOOD

DEPARTMENT OF PUBLIC WORKS
131 N MAPLE AVENUE - RIDGEWOOD, NJ 07450



Christopher J. Rutishauser, P.E., C.P.W.M.
Director of Public Works/Village Engineer

Phone (201) 670-5500 ext 2238
Fax (201) 670-7305

CURB - SIDEWALK - APRON PERMIT

Notes:

- ☐ Driveway expansions require Zoning Review from the Building Department.
- ☐ All work must conform to ADA/PROWAG requirements
- ☐ Concrete mix shall be NJDOT Class B, air entrained concrete.
- ☐ Broom finish required on all surfaces. Sidewalk slab perimeter to be edged.
- ☐ Expansion joints spacing 10 feet max.
- ☐ Expansion joints shall be bituminous fiber or approved equal.
- ☐ Concrete shall be completely replaced to the nearest joint.
- ☐ Any valve covers, cleanouts, manholes, grates, doors, etc. must be set flush with sidewalk.
- ☐ Forms must be inspected prior to the pour. Forms shall be rigid and braced.
- ☐ Concrete shall be protected from weather when curing.
- ☐ Finish inspection required for final approval.
- ☐ See separate specs for Business District sidewalks and County road curb requirements.
- ☐ Contact Ridgewood Parks Dept. 3 days in advance to schedule root grinding. (201) 670-5565
- ☐ Contact Ridgewood Police Dept. if traffic closures are required. (201) 652-3900
- ☐ Contact NJ One Call for utility markout request. 1-800-272-1000
- ☐ See Village Code Chapter 249 for additional info. Code located online at www.ridgewoodnj.net



VILLAGE OF RIDGEWOOD
CURB-SIDEWALK-APRON PERMIT
CALL ENGINEERING 1 DAY PRIOR TO INSPECTIONS
201-670-5500 Ext. 2238

Permit No:	Date Issued:	<u>WORK TO BE DONE</u>
Work Site:		Curb / DropCurb ☐
Owner:		Sidewalk ☐
Email:	Phone No:	Apron ☐
Contractor:		CBD Work ☐
Email:	Phone No:	<u>PERMIT HOLDER</u>
Issued By:	Signature: _____	
Inspection Notes:	_____	Permit Fee:
	_____	Pymt Type:

(PERMIT EXPIRES IN 30 DAYS)